ORENA

Emergency Light

HW-118ACLED





Product Overview

The product is designed for engineering of fire control passage and gives lights In case of power failure for 120 minutes, without breaking switch. It is suitable for various kinds or public places ,families, hotels, restaurants ,karaoke, factories, shops and night clubs and customized manufacturing is available.

Characteristics and Function

- Automatic lighting in case of power failure.
- Emergency lighting time: 120 minutes.
- With indicating lamps for failure of battery and light sources.
- Automatic protection of charging and discharging.
- With indicator lamps of charging and discharging.
- Long working life due to nickel and cadmium cell.
- The emergency lamp should be installed at 2 meters high, either at the gate passage.
- If the emergency lamp is not in use ,discharging shall be taken every three months.
- Battery of the emergency lamp shall be replaced after 400 times of charging and discharging..

Parameter Chart

Power	Voltage	Current	Power	Voltage	Electric current
AC	220V	0.02A	DC	6V	4.5AH
Emergency				Brightness	Lumen
120 minutes		180 minutes			15

Orena Sale and Service

Shenzhen Orena Photonic Technology Co. Ltd

Orena Bldg, No.691# Longjing Road, Nanshan District, Shenzhen, 518055, P.R.China

Ph: 86.755.2678.7499 86.755.8623.3886 Fx: 86.755.2678.7499

E-mail: oem@orena.com.cn sales@orena.com.cn www.orena.com.cn

Orena Group (Hong Kong) Limited

Rm 1105, Lippo Centre Tower 1, 89 Queensway, Admiralty, Hong Kong

Tel: 852.2537.7886 Fax: 852.2537.7780 www.orenahk.com

© 2012 Orena. The company reserves the right to change product specifications without notice.